

New Jersey Division of HIV/AIDS Services  
Persons Living with HIV/AIDS as of June 30, 2004  
Trenton Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	125	13	6	55	131	14
AIDS-CD4 Only	359	38	0	0	359	38
HIV Only	461	49	5	45	466	49
-----	-----	---	-----	---	-----	---
Total	945	100	11	100	956	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	#	#	White, Not Hispanic	#	#	#	#	125	13
5-12	#	#	Black, Not Hispanic	707	75	9	82	716	75
13-19	7	1	Hispanic	106	11	0	0	106	11
20-29	51	5	Other/Unknown	#	#	#	#	9	1
30-39	262	27	-----	-----	---	-----	---	-----	---
40-49	375	39	Total	945	100	11	100	956	100
50+	250	26							
Unk.	0	0							
-----	-----	---							
Total	956	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	165	29	0	0	165	18
Injection drug user (IDU)	177	31	130	35	307	33
MSM/IDU	29	5	0	0	29	3
Heterosexual contact	67	12	120	33	187	20
Risk not reported/other***	135	24	117	32	252	27
-----	-----	---	-----	---	-----	---
Total	573	100	367	100	940	100

  

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	7	88	8	100	15	94
Risk not reported/other***	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	8	100	8	100	16	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification based on current age at the end of June 2004.

\*\* 5 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of June 30, 2004  
Trenton Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	( #)	#	( #)	#	( #)	237	( 20)
Other OI w/o PCP	#	( #)	#	( #)	#	( #)	319	( 27)
KS Alone	10	( 1)	8	( 80)	0	( .)	10	( 1)
No Disease Listed	605	( 53)	246	( 41)	0	( .)	605	( 52)
Total	1150	(100)	670	( 59)	21	(100)	1171	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	18	2	White, Not Hispanic	#	#	#	#	203	17
5-12	#	#	Black, Not Hispanic	839	73	19	90	858	73
13-19	#	#	Hispanic	#	#	#	#	105	9
20-29	136	12	Other/Unknown	5	0	0	0	5	0
30-39	455	39	-----	-----	---	-----	---	-----	---
40-49	389	33	Total	1150	100	21	100	1171	100
Over 49	164	14							
Unknown	0	0							
Total	1171	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	223	27	0	0	223	19
Injection drug user (IDU)	337	41	159	47	496	43
MSM/IDU	56	7	0	0	56	5
Heterosexual contact	74	9	97	29	171	15
Risk not reported/other***	125	15	79	24	204	18
Total	815	100	335	100	1150	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	11	100	10	100	21	100
Risk not reported/other***	0	0	0	0	0	0
Total	11	100	10	100	21	100

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of AIDS diagnosis.

\*\* 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of June 30, 2004  
Trenton Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	7	7	100%
1985	12	12	100%
1986	11	11	100%
1987	26	26	100%
1988	29	26	90%
1989	34	31	91%
1990	35	35	100%
1991	59	55	93%
1992	91	78	86%
1993	141	102	72%
1994	96	68	71%
1995	116	75	65%
1996	83	35	42%
1997	70	26	37%
1998	52	22	42%
1999	56	15	27%
2000	65	21	32%
2001	67	21	31%
2002	55	11	20%
2003	49	#	#
2004	17	#	#
-----	-----	-----	-----
Total	1171	681	58%

New Jersey Division of HIV/AIDS Services  
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004  
Trenton Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	#	#	#	#	74	14
5-12	#	#	Black, Not Hispanic	#	#	#	#	402	74
13-19	15	3	Hispanic	61	11	0	0	61	11
20-29	140	26	Other/Unknown	8	1	0	0	8	1
30-39	196	36	-----	-----	---	-----	---	-----	---
40-49	121	22	Total	539	100	6	100	545	100
Over 49	67	12							
Unknown	0	0							
-----	-----	---							
Total	545	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	83	27	0	0	83	15
Injection drug user (IDU)	101	33	82	36	183	34
MSM/IDU	11	4	0	0	11	2
Heterosexual contact	37	12	72	31	109	20
Risk not reported/other***	78	25	75	33	153	28
-----	-----	---	-----	---	-----	---
Total	310	100	229	100	539	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	5	83
Risk not reported/other***	#	#	0	0	#	#
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	6	100

\* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

# indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of June 30, 2004  
Trenton Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
AIDS-Any OI	545	32	21	78	566	33
AIDS-CD4 Only	605	36	0	0	605	35
HIV Only	539	32	6	22	545	32
Total	1689	100	27	100	1716	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
				Cases	%	Cases	%	Cases	%
Under 5	25	1	White, Not Hispanic	#	#	#	#	277	16
5-12	#	#	Black, Not Hispanic	1237	73	23	85	1260	73
13-19	25	1	Hispanic	#	#	#	#	166	10
20-29	320	19	Other/Unknown	13	1	0	0	13	1
30-39	671	39							
40-49	461	27	Total	1689	100	27	100	1716	100
Over 49	212	12							
Unknown	#	#							
Total	1716	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	
	Males	%	Females	%		
Men sex with men (MSM)	306	27	0	0	306	18
Injection drug user (IDU)	438	39	241	43	679	40
MSM/IDU	67	6	0	0	67	4
Heterosexual contact	111	10	169	30	280	17
Risk not reported/other***	203	18	154	27	357	21
Total	1125	100	564	100	1689	100

	Pediatric Transmission Modes				Total	
	Males	%	Females	%		
Parent at risk/has AIDS/HIV	14	93	12	100	26	96
Risk not reported/other***	#	#	0	0	#	#
Total	15	100	12	100	27	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of first HIV+/AIDS diagnosis.

\*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of June 30, 2004  
Trenton Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	9	8	89%
1985	13	12	92%
1986	20	19	95%
1987	36	33	92%
1988	38	32	84%
1989	56	47	84%
1990	75	63	84%
1991	92	62	67%
1992	205	126	61%
1993	172	85	49%
1994	161	81	50%
1995	153	53	35%
1996	122	39	32%
1997	92	21	23%
1998	87	27	31%
1999	85	18	21%
2000	84	10	12%
2001	65	7	11%
2002	75	11	15%
2003	59	#	#
2004	17	#	#
-----	-----	-----	-----
Total	1716	760	44%